


## SB Fruit Punch

 Sample ID: SA-240416-38384  
 Batch: SBFP  
 Type: Finished Product - Ingestible  
 Matrix: Edible - Gummy  
 Unit Mass (g): 4.65377

 Received: 04/22/2024  
 Completed: 05/02/2024

**Client**  
 TPFN LLC  
 2 American Ct  
 Greenville, SC 29609  
 USA


### Summary

<b>Test</b> Cannabinoids	<b>Date Tested</b> 05/02/2024	<b>Status</b> Tested
-----------------------------	----------------------------------	-------------------------

<b>0.262 %</b> Total Δ9-THC	<b>2.54 %</b> Δ8-THC	<b>3.46 %</b> Total Cannabinoids	<b>Not Tested</b> Moisture Content	<b>Not Tested</b> Foreign Matter	<b>Yes</b> Internal Standard Normalization
--------------------------------	-------------------------	-------------------------------------	---------------------------------------	-------------------------------------	---

### Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.209	9.73
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	<LOQ	<LOQ
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	0.00670	0.312
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.0263	1.22
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	0.00690	0.321
Δ4,8-iso-THC	0.00067	0.002	0.297	13.8
Δ8-iso-THC	0.00067	0.002	0.0491	2.29
Δ8-THC	0.00104	0.00312	2.54	118
Δ8-THCP	0.00067	0.002	<LOQ	<LOQ
Δ8-THCV	0.00067	0.002	0.0248	1.15
Δ9-THC	0.00076	0.00227	0.262	12.2
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCP	0.00067	0.002	0.0258	1.20
Δ9-THCV	0.00069	0.00206	<LOQ	<LOQ
Δ9-THCVA	0.00062	0.00186	ND	ND
exo-THC	0.00067	0.002	0.00560	0.261
<b>Total Δ9-THC</b>			<b>0.262</b>	<b>12.2</b>
<b>Total</b>			<b>3.46</b>	<b>161</b>

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



 Generated By: Ryan Bellone  
 CCO  
 Date: 05/02/2024



 Tested By: Nicholas Howard  
 Scientist  
 Date: 05/02/2024

 ISO/IEC 17025:2017 Accredited  
 Accreditation #108651
